




### **SHOWER / STEAM UNITS**



## SHOWER / STEAM UNITS Boundless Possibilities. Boundless Beauty. At PRL, we take the guesswork out of building stunning complete and custom shower systems. Supplying everything you need to design a frameless shower door unit, we're your one-stop-shop for customizing awe-inspiring complete shower enclosures. Manufacturing complete shower units in-house, we can fabricate practically any custom shower configuration for frameless shower door sliders and swing door enclosures. At PRL, the sky's the limit. Imagine the possibilities!



Tiffany Frameless Shower Slider with Tempered Shower Glass

PLEASE NOTE: PRL continuously improves product design and performance. We reserve the right to make changes without notice.

**FPRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com



### PRL'S SHOWER UNITS & SLIDERS



Shower Unit with Bushed Nickel Mini Ladder Pull

## CONTENT

CONFIGURATIONS	06	CONTOURED SLIDERS	64
BEVERLY HINGES	10	CUSTOM UNITS	66
BEVERLY CLAMP	14	STALLS & PARTITIONS	72
BELLA HD HINGE	18	PULLS & HANDLES	76
SADE HINGES	22	KNOBS	86
SADE CLAMP	28	TOWEL BARS	90
SIDNEY HD HINGE	32	SHOWER GLASS	98
SUPPORT ELEMENTS	38	DIAMOND SEAL	100
U-CHANNELS	40	TEXTURED GLASS	104
SLEEVE OVER CLAMP	44	GLASS FABRICATION	112
SEAL	48	SANDBLAST	118
RUBY SD SLIDER	50	SPANDREL	122
TIFFANY SD SLIDER	54	MIRRORS	126
BIPASS SD SLIDER	58	INTERIOR DOORS	132



Neo-Angle Shower Unit with Shower Glass & Matte Black Hardware

### OTHER PRL'S PRODUCTS:

lax Aluminum Sliders	134
Accordion Bi-fold	136
actical™ Horizontal Screen	138
lumi Slider	139
Ruby All Glass Slider	140
iffany All Glass Slider	141
Clearvision Movable System	142
ull Frame Cladded Slider	143
rameless Sliding System	143
II Glass Doors	144
Panic Device	145
ull Frame Cladded Doors	146
Iltra Narrow Cladded Doors	147
luminum Doors	148
asy Locking Ladder Pulls	149
hermally Broken Storefront	150
Curtainwall	152
luminum Extrusion	153
Storefront Stock Lengths	153
Breakmetal	153
witch 'It Privacy Glass	154
aminated Glass	156
Bullet Resistant Glass	157
Reflective Glass	158
inted Glass	159
pandrel Color Glass	160
ire Resistant Glass	161
ow-E Glass	161
nsulated Glass	162
empered Glass	163
landrail Systems	164
Glass Gates	166
luminum Gates	167
Glass Specialties	168
Vine Cellars	170
abletops	172

www.prlglass.com

**PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **PRL** PHONE: 877.775.2586 FAX: 877.274.8800






### POINTS TO CONSIDER

- When designing a shower unit three factors one must consider: total height, total width and total square area.
- The majority of frameless shower units and sliders are assembled using 3/8" and 1/2" Glass thickness
- The width and weight limitations for sliding and swinging operable doors are determined by the specifications on the selected hardware. See specifications per PRLs hardware limitation that must be followed
- Maximum recommended height and width,
  - (A) Height when two vertical or horizontal edges are supported
  - -Maximum for 3/8" glass is 84 inches
  - -Maximum for 1/2" glass is 120 inches

### (B) Width

- Maximum for 3/8" glass is 30 inches\*
- Maximum for 1/2" glass is 36 inches\*



There are several ways to safely secure the fixed panel from which the door will hinge. One way is to attach the fixed panel to a ceiling, securing the top and bottom edges of the glass (Support Elements page 60). Another method is to use a Header extrusion across the top of all fixed panels (Headers page 62).

\*Door width only

### PRL

PHONE: 877.775.2586 FAX: 877.274.8800

www.prlglass.com

### **GLASS ORDER CHECKLIST**

SHOWER DOOR GLASS ONLY CHECKLIST	FOR: JOB/PO:		E:// TACT:
OPENING OUT OF SQUARE   OPENING SIZES   NET GLASS SIZES	STEAM UNIT [ OPEN TOP [	REFERENCE CENTERLINE [ OTHER:	OUTSIDE INSIDE
SINGLE DOORS IN LINE UNITS	NECO NECO	-ANGLE/90-135 UNITS	CTEAMUNITS
CLACC			STEAM UNITS
3/8	MPERED   NNEALED	BACK FACE	DIAMOND SEAL  DO NOT APPLY  APPLY  BACK FACE  FRONT FACE
HARDWARE REFERENCES			
HINGES/PIVOTS  WALL MOUNT TOP/BOTTOM  PN#	BAR	U-CHANNELS CLAMPS PN# ATTACHED TEMPLATE LOC HGT IN CP TO EDGE	STEAM UNITS  TRANSOM CLAMP
			    :
SINGLE DOORS IN LINE UNITS	NEO-AN	NGLE/90-135 UNITS	STEAM UNITS

FAX: 877.274.8800 www.prlglass.com

### **BEVERLY HINGE SERIES**

The Beverly Series designed every detail of our all-beveled rounded corner design enhances the look of your shower doors. The perfect choice for discreet yet reliable performance with our wide selection of options, including short and full back plates, offset plates, 180° glass to glass hinges and 135° glass to glass hinges. Whether you're looking for something light, like our Standard hardware Beverly series, perfect for doors under 80lbs.. For Heavy duty options refer to page 19.



90 Degree Shower Unit with Brushed Nickel Beverly Hardware

### OFFSET HINGE

Beveled wall mount hinge with an offset back plate. The screws are mounted to the inside of the shower which allows for a cleaner look to your enclosure. Hinge gaskets, anchors and mounting screws are included.

3/8" Glass 80 lbs 28" W

3 Hinges:

2 Hinges:

**BEVERLY SERIES** 

1/2" Glass 80 Lbs 28" W

3/8" Glass 120 lbs 32" W

1/2" Glass 120 Lbs 32" W



ITEM NO. PL-TB044BN

Brushed Nickel Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TB044CH

Polished Chrome Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TB044ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TB044MB

Matte Black Glass Thickness 3/8" up to 1/2"

### SHORT BACK PLATE HINGE

A beveled wall mount hinge with a short back plate that allows for a tighter clearance and a cleaner look. Glass Hinge Specifications. Hinge gaskets, anchors and mounting screws are included.

3/8" Glass 80 lbs 28" W

2 Hinges: 1/2" Glass 80 Lbs 28" W

1/2" Glass 120 Lbs 32" W 3/8" Glass 120 lbs 32" W



ITEM NO. PL-TB074BN

Brushed Nickel Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TB074CH

Polished Chrome Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TB074ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TB074MB

Matte Black Glass Thickness 3/8" up to 1/2"

FPRL FPRL PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com A beveled 135° glass/glass hinge. Glass fabrication is required, please see hinge template for glass fabrication and hinge specs. Hinge gaskets are included. Made out of solid brass material, overall weight 2 lb

3/8" Glass 80 lbs 28" W

2 Hinges: 1/2" Glass 80 Lbs 28" W

3 Hinges:

3/8" Glass 120 lbs 32" W 1/2" Glass 120 Lbs 32" W

### 135° HINGE

A beveled 135° glass/glass hinge. Glass fabrication is required, please see hinge template for glass fabrication and hinge specs. Hinge gaskets are included. Made out of solid brass material, overall weight 2 lb

3/8" Glass 80 lbs 28" W

2 Hinges: 1/2" Glass 80 Lbs 28" W

3 Hinges:

3/8" Glass 120 lbs 32" W 1/2" Glass 120 Lbs 32" W



ITEM NO. PL-TB037BN



ITEM NO. PL-TB037CH



ITEM NO. PL-TB037ORB



ITEM NO. PL-TB037MB



ITEM NO. PL-TB045BN

Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TB045CH

Glass Thickness 3/8" up to 1/2"

Polished Chrome



ITEM NO. PL-TB045ORB

Glass Thickness 3/8" up to 1/2"



Oil Rubbed Bronze

ITEM NO. PL-TB045MB

Matte Black Glass Thickness 3/8" up to 1/2"

Brushed Nickel Glass Thickness 3/8" up to 1/2"

Polished Chrome Glass Thickness 3/8" up to 1/2"

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

Matte Black Glass Thickness 3/8" up to 1/2"



Custom Shower Unit with Heavy Duty 180 Sydney Hinges

### 180° HINGE

Brushed Nickel

A beveled 180° glass/glass hinge. Glass fabrication is required, please see hinge template for glass fabrication and hinge specs. Hinge gaskets are included. Made out of solid brass material, overall weight 2 lb

3/8" Glass 80 lbs 28" W

1/2" Glass 80 Lbs 28" W

3/8" Glass 120 lbs 32" W | 1/2" Glass 120 Lbs 32" W

2 Hinges:

3 Hinges:



ITEM NO. PL-TB180BN

Brushed Nickel Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TB180CH

Polished Chrome Glass Thickness 3/8" up to 1/2"




ITEM NO. PL-TB180ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TB180MB

Matte Black Glass Thickness 3/8" up to 1/2"

**FPRL FPRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com



Glass Partition with Oil Rubbed Bronze Fixed Clamps



### FIXED WALL CLAMP

A beveled 2" X 2" fixed clamp that will match our Beverly and Bella hinge series. Glass fabrication is required 7/8" hole or "U" notch will work with this clamp. Clamp gaskets, anchor and mounting screw are included. Clamp gaskets, anchor and mounting screw are included.









ITEM NO. PL-TBCBN

Brushed Nickel Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TBCCH

Polished Chrome Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TBCORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2" Matte Black

ITEM NO. PL-TBCMB

**FPRL** 

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **FPRL** 


PHONE: 877.775.2586

Glass Thickness 3/8" up to 1/2"

### **CLAMP 90 DEGREE**

A beveled 90° glass to glass fixed clamp that will match our Beverly and Bella hinge series. Glass fabrication is required. Clamp gaskets are included. Suitable for 3/8" and 1/2" tempered glass. Made out of solid brass material.





Brushed Nickel Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TBC90CH

Polished Chrome Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TBC90ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"



### TRANSOM WALL CLAMP

A beveled wall mounted movable transom clamp that will match our Beverly and Bella hinge series. Glass fabrication is required, 7/8" hole or a "U" notch can be used with this clamp. Clamp gaskets are included. Suitable for 3/8" and 1/2" tempered glass. Maximum glass panel size 30" x 16". Made out of solid brass material.



ITEM NO. PL-TBC186BN

Brushed Nickel Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TBC186CH

Polished Chrome Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TBC186ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

### 135 DEGREE GLASS CLAMP

A beveled 135° glass to glass fixed clamp that will match our Beverly and Bella hinge series. Glass fabrication is required. Clamp gaskets are included. Suitable for 3/8" and 1/2" tempered glass. Made out of solid brass material.



ITEM NO PL-TBC135BN

Brushed Nickel Glass Thickness 3/8" up to 1/2"



ITEM NO PL-TBC135CH

Polished Chrome Glass Thickness 3/8" up to 1/2"



ITEM NO PL-TBC135ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

### TRANSOM GLASS TO GLASS

A beveled glass to glass movable transom clamp that will match our Beverly and Bella hinge series. Glass fabrication is required, 7/8" hole or a "U" notch can be used with this clamp. Suitable for 3/8" and 1/2" tempered glass. Maximum glass panel size 30" x 16". Clamp gaskets are included.



ITEM NO. PL-TBC188BN

Brushed Nickel Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TBC188CH

Polished Chrome Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TBC188ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

**FAX: 877.274.8800** www.prlglass.com **PHONE: 877.775.2586** FAX: 877.274.8800 www.prlglass.com 17

### **BELLA HD SERIES**

Our HEAVY DUTY hinges this series was designed to accommodate all your needs when a heavier door is needed. The Bella series offers a beautifully crafted all-BEVELED, rounded corner design to seamlessly compliment your shower doors.

The Heavy Duty hardware in this series- The Bella, is slightly larger in size and will accommodate doors over 80lbs. We offer several types of these hinges. A short and full back plate hinge, an offset plate hinge, a 180° glass to glass hinge and a 135° glass to glass hinge.



Custom Steam Unit with Heavy Duty Bella HD 180 Degree Hinges

### OFFSET HINGE

Offset back plate heavy duty wall mount hinge. The screws are mounted to the inside of the shower which allows for a cleaner look to your enclosure. Glass fabrication is required. Hinge gaskets, anchors and mounting screws are included

**2 Hinges:** 3/8" Glass 100 lbs 34" W | 1/2" Glass 100 Lbs 32" W

3 Hinges:

3/8" Glass 130 lbs 34" W | 1/2" Glass 130 Lbs 32" W



ITEM NO. PL-TBHD044BN

Glass Thickness 3/8" up to 1/2"

Brushed Nickel

ITEM NO. PL-TBHD044CH

Glass Thickness 3/8" up to 1/2"

\_\_\_\_\_

ITEM NO. PL-TBHD044ORB

Oil Rubbed Bronze
Glass Thickness 3/8" up to 1/2" G



ITEM NO. PL-TBHD044MB

Matte Black Glass Thickness 3/8" up to 1/2"

### SHORT BACK PLATE HINGE

Polished Chrome

The Bella heavy duty Hinge has short back plate that allows for a tighter clearance and a cleaner look. Glass fabrication Is required. Hinge gaskets, anchors and mounting screws are included.

3/8" Glass 100 lbs 34" W | 1/2" Glass 100 Lbs 32" W

3/8" Glass 130 lbs 34" W | 1/2" Glass 130 Lbs 32" W



ITEM NO. PL-TBHD074BN

Brushed Nickel Glass Thickness 3/8" up to 1/2".



ITEM NO. PL-TBHD074CH

Polished Chrome Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TBHD074ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TBHD074MB

Matte Black Glass Thickness 3/8" up to 1/2"

FAX: 877.274.8800 www.prlglass.com FAX: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

**BELLA SERIES** 

The Bella heavy duty hinge has a full back plate that allows for a tighter clearance and a cleaner look. Glass fabrication Is required. Hinge gaskets, anchors and mounting screws are included.

3/8" Glass 110 lbs 36" W 1/2" Glass 110 Lbs 36" W

3 Hinges:

3/8" Glass 140 lbs 36" W 1/2" Glass 140 Lbs 36" W

### 135° HINGE

Our Bella 135° glass to glass heavy duty hinge holds more weight. Please review the hinge width and weight allowances. Gaskets are included. Glass requires fabrication.

2 Hinges: 3/8" Glass 110 lbs 36" W 1/2" Glass 110 Lbs 36" W

3/8" Glass 140 lbs 36" W 1/2" Glass 140 Lbs 36" W



ITEM NO. PL-TBHD037BN

Glass Thickness 3/8" up to 1/2".

Brushed Nickel



ITEM NO. PL-TBHD037CH

Glass Thickness 3/8" up to 1/2"

Polished Chrome



ITEM NO. PL-TBHD037ORB



ITEM NO. PL-TBHD037MB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

Matte Black Glass Thickness 3/8" up to 1/2"





ITEM NO. PL-TBHD045BN

Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TBHD045CH

Polished Chrome Glass

Thickness 3/8" up to 1/2"



ITEM NO. PL-TBHD045ORB



ITEM NO. PL-TBHD045MB

2 Hinges:

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

Matte Black Glass Thickness 3/8" up to 1/2"

### 180° HINGE

Brushed Nickel

Bella Beveled 180 degree glass to glass hinge. Glass fabrication is required. Please see hinge Specifications. Hinge gaskets are included.

3/8" Glass 110 lbs 36" W 1/2" Glass 110 Lbs 36" W

3 Hinges: 3/8" Glass 140 lbs 36" W | 1/2" Glass 140 Lbs 36" W



ITEM NO. PL-TBHD180BN

Glass Thickness 3/8" up to 1/2"

Brushed Nickel



ITEM NO. PL-TBHD180CH

Polished Chrome Glass

Thickness 3/8" up to 1/2"





Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TBHD180ORB

Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TBHD180MB Oil Rubbed Bronze Matte Black

Double Doors Shower Unit with Oil Rubbed Bronze Bella Hardware

**FPRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

### SADE HINGE SERIES

Sage Hinge Series, is the latest modern, contemporary hardware! Our hardware has crisp, clean lines with SQUARE edges and flat surfaces that will give any decor an instant upgrade. Whether you're looking for a simple, elegant accent or a powerful, bold statement, it has the perfect solution for you.

The Sade, is slightly smaller in size and perfect for smaller doors. This hinge series comes with multiple types of hinges to suit your needs. Choose from a short back plate hinge, full plate hinge, offset plate hinge, a 180° glass to glass hinge, and a 135° glass to glass hinge. For Heavy duty options refer to page 32.



FPRL

Shower Unit with Starphire Glass and Sade Series Hardware

### SHORT BACK PLATE HINGE

2 Hinges:

3/8" Glass 80 lbs 28" W

1/2" Glass 80 Lbs 28" W

SADE SERIES

3 Hinges: 



included







ITEM NO. PL-TS074BN

Brushed Nickel Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TS074CH Polished Chrome Glass Thickness 3/8" up to 1/2"

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TS074ORB

ITEM NO. PL-TS074MB

Matte Black Glass Thickness 3/8" up to 1/2"

### FULL BACK PLATE HINGE

A square wall mount hinge with a full back plate that allows for a tighter clearance. Glass fabrication is required, please see hinge specifications. Hinge gaskets, anchors and mounting screws are included

A square wall mount hinge with a short back plate that

allows for a tighter clearance and a cleaner look. Glass

fabrication is required, please see hinge specifications.

Hinge gaskets, anchors and mounting screws are

3/8" Glass 80 lbs 28" W

1/2" Glass 80 Lbs 28" W

3 Hinges:

3/8" Glass 120 lbs 32" W | 1/2" Glass 120 Lbs 32" W









ITEM NO. PL-TS037BN

Brushed Nickel Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TS037CH

Polished Chrome Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TS037ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TS037MB

Matte Black Glass Thickness 3/8" up to 1/2"

FPRL PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

### 135° HINGE

Sade Series square 135 degree Glass/ Glass hinge. Glass fabrication is required. Please see hinge capabilities for glass fabrication. Hinge gaskets are included

2 Hinges: 3/8" Glass 80 lbs 28" W 1/2" Glass 80 Lbs 28" W

3 Hinges:

3/8" Glass 120 lbs 32" W 1/2" Glass 120 Lbs 32" W









ITEM NO. PL-TS045BN

ITEM NO. PL-TS045CH

ITEM NO. PL-TS045ORB

ITEM NO. PL-TS045MB

Brushed Nickel Glass Thickness 3/8" up to 1/2"

Polished Chrome Glass Thickness 3/8" up to 1/2"

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

Matte Black Glass Thickness 3/8" up to 1/2"

### 180° HINGE

Sade square 180 degree glass to glass hinge. Glass fabrication is required. Please see hinge Specifications. Hinge gaskets are included.

2 Hinges: 1/2" Glass 80 Lbs 28" W 3/8" Glass 80 lbs 28" W

3 Hinges:

3/8" Glass 120 lbs 32" W | 1/2" Glass 120 Lbs 32" W









ITEM NO. PL-TS180BN

Glass Thickness 3/8" up to 1/2"

Brushed Nickel

ITEM NO. PL-TS180CH

Polished Chrome Glass

Thickness 3/8" up to 1/2"

ITEM NO. PL-TS180MB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TS180ORB

Matte Black Glass Thickness 3/8" up to 1/2"

Shower Unit with a Custom Cut-out Vent and Sade Hardware

**FPRL FPRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

### **SADE SERIES**





### OFFSET BACK PLATE HINGE

Sade square wall mount hinge with a offset back plate. Glass fabrication is required, please see. Hinge gaskets, anchors and mounting screws are included.

**2 Hinges:** 1/2" Glass 80 Lbs 28" W 3/8" Glass 80 lbs 28" W

3 Hinges: 1/2" Glass 120 Lbs 32" W 3/8" Glass 120 lbs 32" W







ITEM NO. PL-TS044BN

Brushed Nickel Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TS044CH

Polished Chrome Glass Thickness 3/8" up to 1/2" Glass Thickness 3/8" up to 1/2"

Oil Rubbed Bronze

ITEM NO. PL-TS044ORB

Matte Black Glass Thickness 3/8" up to 1/2"

ITEM NO. PL-TS044MB

### **SADE SERIES**



Oversized Unit with Sade Hardware and Custom Glass Vent Cut-Out

PHONE: 877.775.2586

FAX: 877.274.8800

www.prlglass.com

PRL

PHONE: 877.775.2586 FAX: 877.274.8800

# SADE CLAMP SERIES The Standard hardware in this series- The Sade, is slightly smaller in size and perfect for smaller doors. The flat surface and square edges provide sleekness and class to any shower door. We offer several types of these clamps

**FPRL** 

### FIXED WALL CLAMP

A square 2"X2 " fixed clamp that will match will match our Sade and Sidney series hinges. Glass fabrication is required, 7/8 Hole or a "U" Notch Will Work With This Clamp. Clamp Gasket, Anchor And Mounting Screw Are Included









ITEM NO. PL-TSCBN

Brushed Nickel Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TSCCH

Polished Chrome Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TSCORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TSCMB

Matte Black Glass Thickness 3/8" up to 1/2"

### TRANSOM WALL CLAMP

A square wall mounted movable transom clamp that will match will match our Sade and Sidney series hinges. Glass fabrication is required. A 7/8 hole or a "U" notch can be used with this clamp. Maximum glass panel size 30" x 16". Clamp gasket, anchor and mounting screw are included.







ITEM NO. PL-TSC186ORB



ITEM NO. PL-TSC186BN

Brushed Nickel Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TSC186CH

Glass Thickness 3/8" up to 1/2"

PHONE: 877.775.2586

Polished Chrome

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TSC186MB

Matte Black Glass Thickness 3/8" up to 1/2"

Steam Unit with Matte Black Sade Clamps

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com



FAX: 877.274.8800

A square glass to glass movable transom clamp that will match will match our Sade and Sidney series hinges. Glass fabrication is required 7/8 hole or a "U" notch can be used with this clamp. Maximum glass panel size 30" x 16". Clamp gaskets are included.





Brushed Nickel Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TSC188CH

Polished Chrome Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TSC188ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TSC188MB

Matte Black Glass Thickness 3/8" up to 1/2"



90 Degree Shower Unit with Sade Clamps and Hardware

### 90° CLAMP GLASS TO GLASS

Squared edges 90° glass to glass fixed clamp that will match our Sade and Sidney series hinges. Glass fabrication is required. Clamp gaskets are included. Suitable for 3/8" and 1/2" tempered glass. Made out of solid brass material.



ITEM NO. PL-TSC90BN

Brushed Nickel Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TSC90CH

Polished Chrome Glass Thickness 3/8" up to 1/2"



ITEM NO. PL-TSC90ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

### 135° CLAMP GLASS TO GLASS

Squared edges 135° glass to glass fixed clamp that will match our Sade and Sidney series hinges. Glass fabrication is required. Clamp gaskets are included. Suitable for 3/8" and 1/2" tempered glass. Made out of solid brass material.



ITEM NO. PL-TSC135BN



Brushed Nickel Polished Chrome Glass Thickness 3/8" up to 1/2" Glass Thickness 3/8" up to 1/2"

PHONE: 877.775.2586



ITEM NO. PL-TSC135ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

FAX: 877.274.8800

FPRL PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

## SIDNEY HD SERIES

The Sidney HEAVY DUTY Series hardware set will add a sleek, modern touch to your home décor. These heavy-duty hinges are characterized by clean lines and squared edges with flat surfaces resulting in a contemporary look. Whether you are looking to give your current home a simple update or seeking to create a brand-new, modern look. ts high-quality materials and easy installation make it the perfect choice.

Designed to provide reliable support feffortlessly supports heavier shower doors, providing you with lasting peace of mind. They are available in a range of styles, including short back plate hinges, full plate hinges, offset plate hinges, and 180° glass to glass hinges and 135° glass-to-glass hinge. With their greater door



90 Degree Shower Unit with Brushed Nickel Sidney Heavy Duty Hardware

### FULL PLATE HINGE (HD)

Our Sidney heavy duty wall mount hinge comes with a

full back plate, which allows for wider and heavier doors.

Includes: hinge gaskets, mounting screws and anchors.

Glass requires fabrication. See hinge capabilities.

3/8" Glass 110 lbs 36" W

2 Hinges: 1/2" Glass 110 Lbs 36" W

SIDNEY SERIES

3 Hinges:

3/8" Glass 140 lbs 36" W 1/2" Glass 140 Lbs 36" W









ITEM NO. PL-TSHD037BN

ITEM NO. PL-TSHD037CH

ITEM NO. PL-TSHD037ORB

ITEM NO. PL-TSHD037MB

**Brushed Nickel** Glass Thickness 3/8" up to 1/2"

Polished Chrome Glass Thickness 3/8" up to 1/2"

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

Matte Black Glass Thickness 3/8" up to 1/2"

2 Hinges:

## SHORT PLATE HINGE (HD)

Our Sidney heavy duty wall mount hinge comes with a short back plate. The short back plate allows the doors to have a tighter clearance for a cleaner look. Includes: hinge gaskets, mounting screws and anchors.

3/8" Glass 100 lbs 34" W 1/2" Glass 100 Lbs 32" W

3/8" Glass 130 lbs 34" W 1/2" Glass 130 Lbs 32" W









ITEM NO. PL-TSHD074BN

**Brushed Nickel** Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TSHD074CH

Polished Chrome Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TSHD074ORB

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2" ITEM NO. PL-TSHD074MB

Matte Black Glass Thickness 3/8" up to 1/2"

\*PRL PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

FPRL PHONE: 877.775.2586

FAX: 877.274.8800

## 135° HINGE (HD)

Our Sidney 135° glass to glass heavy duty hinge holds more weight and allows for a greater door width compared to the Sade series hinge. Gaskets are included. Glass requires fabrication. See hinge capabilities.

2 Hinges: 3/8" Glass 110 lbs 36" W 1/2" Glass 110 Lbs 36" W

3/8" Glass 140 lbs 36" W 1/2" Glass 140 Lbs 36" W









ITEM NO. PL-TSHD045BN

ITEM NO. PL-TSHD045CH

ITEM NO. PL-TSHD045ORB

ITEM NO. PL-TSHD045MB

Brushed Nickel Glass Thickness 3/8" up to 1/2"

Polished Chrome Glass Thickness 3/8" up to 1/2"

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

Matte Black Glass Thickness 3/8" up to 1/2"

## 180° HINGE (HD)

Our Sidney 180° glass to glass heavy duty hinge holds more weight and allows for a greater door width compared to the Sade series hinge. Gaskets are included. Glass requires fabrication. See hinge capabilities.

2 Hinges: 3/8" Glass 110 lbs 36" W 1/2" Glass 110 Lbs 36" W

3 Hinges:

3/8" Glass 140 lbs 36" W | 1/2" Glass 140 Lbs 36" W









ITEM NO.PL-TSHD180BN

ITEM NO.PL-TSHD180CH

ITEM NO.PL-TSHD180MB

Brushed Nickel Glass Thickness 3/8" up to 1/2"

Polished Chrome Glass Thickness 3/8" up to 1/2"

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

ITEM NO.PL-TSHD180ORB

Matte Black Glass Thickness 3/8" up to 1/2"

135-Degree Shower Unit with Brushed Nickel Sidney Heavy Duty Hardware

**FPRL FPRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com SIDNEY SERIES SIDNEY SERIES

### OFFSET BACK PLATE HINGE

Our Sidney 135° glass to glass heavy duty hinge holds more weight and allows for a greater door width compared to the Sade series hinge. Gaskets are included. Glass requires fabrication. See hinge capabilities.

2 Hinges:

3/8" Glass 100 lbs 34" W | 1/2" Glass 100 Lbs 32" W

3/8" Glass 130 lbs 34" W | 1/2" Glass 130 Lbs 32" W









ITEM NO. PL-TSHD044BN

ITEM NO. PL-TSHD044CH

ITEM NO. PL-TSHD044ORB

ITEM NO. PL-TSHD044MB

Brushed Nickel Glass Thickness 3/8" up to 1/2"

Polished Chrome Glass Thickness 3/8" up to 1/2"

Oil Rubbed Bronze Glass Thickness 3/8" up to 1/2"

Matte Black Glass Thickness 3/8" up to 1/2"



Shower Unit with Brushed Nickel U-Channels

www.prlglass.com



90 Degree Steam Unit with Heavy Duty Short Plate Sydney Hinges

**FPRL** FAX: 877.274.8800 PHONE: 877.775.2586



PHONE: 877.775.2586 FAX: 877.274.8800

## SUPPORT ELEMENTS Safety should be the main priority while installing a frameless shower unit. PRL SD Units are strengthened by a variety of exposed support elements that provide an alternative for a clean frameless appearance.

Shower Unit with Black Matte Aluminum Header and Sade Hardware



Steam Unit with Polished Chrome Header

Shower Unit with Black Matte Aluminum Header



**ALUMINUM HEADER** 



**U-CHANNELS** 

All support elements include applications for: Header: Wall Mount , 90° Units, 135° Units & In-Line Sections Clamps :Surface Mount, 90°/135°/180° Fixed Glass to Glass, 135° Units, 180° Units, Tilt Transom & Fixed Sidelite

Available finishes Headers / U-Channels,

- Bright or Brushed Dip Clear
- Oil rubbed bronzed
- Matte Black

### SUPPORT ELEMENTS:

FAX: 877.274.8800

- They are intended to provide Structural integrity to the unit
- Header must be used for safety and functionality support.
- It carries the extra support as the door functions or moves
- Supporting the size and weight of the sidelite panel itself.

8 **FAX**: 877.274.8800 www.prlglass.com **FAX**: PHONE:



## **U-CHANNELS**

Aluminum u-channels for securing fixed panels of glass to the wall, ceiling, or floor, include our channel with notched bottom for greater installation strength. All screws should be glazed with clear silicone to prevent water infiltration. Standard 95", 98" and 144" (2.49 M) lengths.

### 3/8" GLASS





ITEM NO. 38UCHSLORB

ITEM NO. 38UCHSLMB

Oil Rubbed Bronze Glass Thickness 3/8"

Matte Black Glass Thickness 3/8"





ITEM NO. 38UCHSLBN

Brushed Nickel Glass Thickness 3/8"

ITEM NO. 38UCHSLCH

Polished Chrome Glass Thickness 3/8"

Splash Panel with Brushed Nickel U-Channel

### 1/2" GLASS









ITEM NO. 12UCHSLBN

Brushed Nickel Glass Thickness 1/2"

ITEM NO. 12UCHSLCH Polished Chrome

Oil Rubbed Bronze Glass Thickness 1/2" Glass Thickness 1/2"



ITEM NO. 12UCHSLMB



Custom Shower Unit with Header, U-Channels in Oil Rubbed Bronze

**FPRL** 

PHONE: 877.775.2586

FAX: 877.274.8800

ITEM NO. 12UCHSLORB

www.prlglass.com

PRL

PHONE: 877.775.2586 FAX: 877.274.8800

U-CHANNEL U-CHANNEL



90 Degree Shower Unit with Matte Black U-Channels



In-Line Shower Unit with Matte Black U-Channels and Headers



Shower Unit with Brushed Nickel U-Channels & Custom Sandblast Artwork

**PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

## **SLEEVE OVER CLAMP**

90 Degree and 135 Degree Sleeve over clamp. No glass fabrication needed for this 90° sleeve over clamp. Just slide clamp onto corner and tighten 2 small hex screws. Made out of solid brass material, overall weight 8oz.

### 90 DEGREE





ITEM NO. PL-90SOORB

3/8" & 1/2" Glass Thickness

Oil Rubbed Bronze

ITEM NO. PL-90SOMB

Matte Black 3/8" & 1/2" Glass Thickness.



ITEM NO. PL-90SOBN

Brushed Nickel 3/8" & 1/2" Glass Thickness



ITEM NO. PL-90SOCH

Polished Chrome 3/8" & 1/2" Glass Thickness



135-Degree Shower Unit with Black Matte Sleeve Over

### 135 DEGREE











ITEM NO. PL-135SOBN

Brushed Nickel 3/8" & 1/2" Glass Thickness

ITEM NO. PL-135SOCH

Polished Chrome 3/8" & 1/2" Glass Thickness

ITEM NO. PL-135SOORB

Oil Rubbed Bronze 3/8" & 1/2" Glass Thickness.

ITEM NO. PL-135SOMB

Matte Black 3/8" & 1/2" Glass Thickness



www.prlglass.com

FAX: 877.274.8800

**FPRL FPRL** FAX: 877.274.8800 PHONE: 877.775.2586 www.prlglass.com PHONE: 877.775.2586




Neo -Angle Shower Unit with 135 Degree Sleeve Over Clamp



Shower Unit with Sleeve -Over Clamp in Brushed Nickel

**PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com



90 Degree Shower Unit with Bottom Swipe Polycarbonate Door Seal



ITEM NO. PL-38RWS / PL-12RWS

Rail & Wipe Polycarbonate Seal 3/8" and 1/2" Glass



ITEM NO. PL- 38BSSL / PL- 12BSSL

Bottom Swipe Polycarbonate Seal 3/8" and 1/2" Glass



ITEM NO. PL-TSL

T- Seal Polycarbonate Seal 3/8" and 1/2" Glass



ITEM NO. PL-135SJSL

135° Polycarbonate Strike & Jamb 3/8" and 1/2" Glass



ITEM NO. PL-SDTL

Door Strike Polycarbonate L Jamb 1/2" Glass



ITEM NO. PL-DBLTSL

Double Fin Seal Polycarbonate Seal 3/8" and 1/2" Glass



ITEM NO. PL-180SDJ

180° Polycarbonate Strike Door 3/8" Glass



ITEM NO. PL-38SJSL / PL-12SJSL

Multi Purpose Polycarbonate H Stripe Jamb 3/8" and 1/2" Glass



ITEM NO. PL-BSLSL

Bulb Seal Polycarbonate 3/8" and 1/2" Glass

**FAX: 877.274.8800** www.prlglass.com **FAX: 877.274.8800** www.prlglass.com **FAX: 877.274.8800** www.prlglass.com

## **RUBY SHOWER SLIDER**

The Ruby system offers a sleek, modern look for a high-end design. This stunning frameless shower slider will take your breath away with its frameless, round support bar, cutting-edge, design, and easy, smooth operation.

- Features a stylish 72" round support bar
- The bar can accommodate up to 120" (Polished or Brushed stainless steel)
- 3/8" glass options to choose
- Modern 4-wheel roller system.
- Maximum door weight is 100 lbs. or 32" x 84"



Polished Stainless Steel Hardware Finish 3/8" Glass Thickness.





Oil Rubbed Bronzed Slider Hardware Finish 3/8" Glass Thickness.

Brushed Stainless Steel Slider Hardware Finish 3/8" Glass Thickness.





90 Degree Custom Stainless Steel Ruby Shower Slider

**FAX:** 877.274.8800 www.prlglass.com **FAX:** 877.274.8800 www.prlglass.com **FAX:** 877.274.8800 www.prlglass.com 51

RUBY SHOWER SLIDER


RUBY SHOWER SLIDER



Ruby Shower Slider in Polished Stainless

**PRL** 

PHONE: 877.775.2586



Ruby Shower Slider in Brushed Stainless

## **TIFFANY SHOWER SLIDER**

PRL's Frameless Tiffany Shower Slider comes with a rectangular support bar, offering practicality as well as sophistication, and top-hung sliding track, and multiple glass options to choose from. Frameless, trend-setting design, and smooth, effortless operation.

- Features a stylish 72" rectangular support bar
- 3/8" glass options to choose
- Modern 4-wheel roller system.
- Maximum door weight is 88 lbs. or 30" x 84"




Polished Stainless Steel Hardware Finish 3/8" Glass Thickness.






Oil Rubbed Bronzed Slider Hardware Finish 3/8" Glass Thickness.

Brushed Stainless Steel Slider Hardware Finish 3/8" Glass Thickness.





www.prlglass.com

**FPRL** PRL PHONE: 877.775.2586 PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com FAX: 877.274.8800 TIFFANY SHOWER SLIDER

TIFFANY SHOWER SLIDER



In-Line Tiffany Shower Slider in Oil Rubbed Bronze



Custom Shower Slider with Brushed Nickel

## **BIPASS TIFFANY SD SLIDER**

With entry from either side, PRL's frameless bypass shower slider brings ease of use to tub and shower enclosures. Beautiful in your home, our new Tiffany shower sliders are available in a diverse array of glass types and finishes.

- Features a stylish 60"-72" rectangular support bar
- 3/8" glass options to choose
- Modern 4-wheel roller system.
- Maximum door weight is 84 lbs. or 32" x 84"



Polished Stainless Steel Hardware Finish 3/8" Glass Thickness. Standard Length 72".





Matte Black Slider Hardware Finish 3/8" Glass Thickness. Standard Length 72".

Brushed Stainless Steel Slider Hardware Finish 3/8" Glass Thickness. Standard Length 72".





Bipass Shower Slider in Brushed Nickel Finish

**FPRL** 

PHONE: 877.775.2586

FAX: 877.274.8800

www.prlglass.com

FPRL.

PHONE: 877.775.2586 FAX: 877.274.8800

BIPASS TIFFANY SHOWER SLIDER

BIPASS TIFFANY SHOWER SLIDER



Bipass Shower Slider in Stainless Steel Finish



FAX: 877.274.8800

Bipass Shower Slider in Matte Black

60 **FAX: 877.274.8800** www.prlglass.com **PRL** PHONE: 877.775.2586

### FRAMELESS SHOWER SLIDER APPLICATIONS

## Polished Stainless Steel Ruby Shower Slider Oil Rubbed Bronze Ruby Shower Slider



Brushed Nickel Ruby Shower Slider

Brushed Nickel Bipass Frameless Shower Slider

### FRAMELESS SHOWER SLIDER APPLICATIONS



Oil Rubbed Bronze Tiffany Shower Slider

Brushed Nickel Tiffany Shower Slider



Polished Stainless Steel Bipass Shower Slider



Brushed Nickel Tiffany Shower Slider

**FPRL** 

PHONE: 877.775.2586

www.prlglass.com

PRL

PHONE: 877.775.2586 FAX: 877.274.8800

### **CONTOURED SHOWER SLIDERS**

PRL's Contour Sliders semi-frameless sliding shower door is sleek and modern. Our nylon wheels paired with grease packed stainless steel ball bearings provide smooth quiet operation. Sliders are assembled with precision engineered metal extrusions for heavy glass loads.

Contoured Shower Slider with 1/4" Rain Textured Glass



Matte Black Contoured Shower Slider with 3/16" Tempered Glass



Oil Rubbed Bronze Contoured Slider with 3/8" Tempered Glass

PRL's Contoured shower sliders are strong, durable, frameless shower door sliders designed specifically for heavy glass loads. Manufactured with premium quality aluminum headers with sleek, contoured profiles, these sliding door systems add elegant simplicity to showers and baths.

Glass is offered in 3/16", 1/4" and 3/8"

- Clear Glass / Tinted Glass
- Pattern Texture Glass
- Custom Sandblasted Glass

Available finishes options:

- Chrome
- Brushed Nickel
- Matte Black

Standard Hardware:

Single Towel Bar/Singles Knob

**FPRL FPRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586



FAX: 877.274.8800

## **CUSTOM SHOWER UNITS**

Offering only the finest shower glass customizations, our gifted artists can turn your shower and bath into a spectacular showcase. We can produce jaw dropping custom limitless range of custom shower glass. We can also manufacture custom shower hardware to your exact specifications. Extruding virtually all shower hardware in-house, we can meet your desires and needs.




Custom Tiffany Slider with U-Channels



Oversized Custom Ruby Shower Slider







FAX: 877.274.8800

Tempered Oversized Glass Partition

PRL

PHONE: 877.775.2586

www.prlglass.com

PRL

PHONE: 877.775.2586

CUSTOM SHOWER UNITS CUSTOM SHOWER UNITS

PHONE: 877.775.2586



Custom Oversize Steam Unit with Diamond Seal



Custom 90 Degree Shower Unit with U-Channel Framing


PRL PRL PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

FAX: 877.274.8800 www.prlglass.com CUSTOM SHOWER UNITS

CUSTOM SHOWER UNITS



White Laminated Glass Custom Slider Toilet Partition



Shower Partitions with Custom Wave Shape

70 **FRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **FRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

# **STALLS & PARTITIONS**

PRL's Restrooms stalls & Partitions is a completely custom product designed specified for our customer needs. We unlimited configurations these will totally redefine the privacy needed while adding distinctive unique look to every restroom.

Our stalls are available multiple types of glass fabrication like textured glass, Rainbow Color Laminated glass, Decorative Laminated Glass, and custom sandblast. You can order our restroom partitions in a wide array of colors and patterns. This variety makes it simple to create a bathroom that reflects the look and match the rest of the perimeters.



Double Custom Slider for Shower and Restroom Partition



**FPRL** PRL PHONE: 877.775.2586 PHONE: 877.775.2586 FAX: 877.274.8800 FAX: 877.274.8800 www.prlglass.com www.prlglass.com

## **STALLS & PARTITIONS**



Single Door Units with Custom White Laminated Glass

## **STALLS & PARTITIONS**







Acid Etched Texture Glass Restroom Partitions



**FPRL** 

Custom Sandblast and Gluechip Single Stalls



Double Door Stalls with Custom Sandblast Design

# **PULL & HANDLE SERIES**

Ranging in styles from our standard C pulls to our Contemporary handle and Ladder pulls. Our shower door handles are a cut above the rest. Fabricated with the finest craftsmanship using high quality brass, you're sure to find the right accent to compliment




90 Degree Shower Unit with 8" C-Pull in Black Matte

www.prlglass.com

## C-PULLS

For a simple, yet elegant look, our Standard handle is what you're looking for. With a rectangular tubing shape and rounded edges this shower door handle is the most popular. Pull available height 6" and 8". The tubular c-pull with 3/4" Diameter.





Brushed Nickel Glass Thickness 1/4" up to 1/2"



ITEM NO. PL-3SD6CH ITEM NO. PL-3SD8CH

Polished Chrome Glass Thickness 1/4" up to 1/2"



ITEM NO. PL-3SD6ORB ITEM NO. PL-3SD8ORB

Oil Rubbed Bronze Glass Thickness 1/4" up to 1/2"



ITEM NO. PL-3SD6MB ITEM NO. PL-3SD8MB

Matte Black Glass Thickness 1/4" up to 1/2"

## **CONTEMPORARY PULLS**

Contemporary style 8" back to back pull handle. If delicate grandeur and distinction is what you seek, look no further. PRL has delivered once again. Designed with beautifully ornate fine detailing and the finest craftsmanship the contemporary back-to back pull handle was born. A truly must see!



ITEM NO. PL-CTPBN

Brushed Nickel Glass Thickness 3/8" & 1/2"

FPRL



ITEM NO. PL-CTPCH

Polished Chrome Glass Thickness 3/8" & 1/2"




ITEM NO. PL-CTPORB

Oil Rubbed Bronze Glass Thickness 3/8" & 1/2"

#### HOLE **FABRICATION:**

Some hardware may require fabrication, Handles, knobs, and towel bars on a frameless shower enclosure are commonly attached with holes through the glass.

Glass Thickness (A)	Minimun Hole Size (B).	Minimum Distance from Edge (C)	Minimum 45° Diagonal Distance to Corner(D)
3/8"	3/8"	9/16"	2 7/16"
1/2"	1/2"	3/4"	3 1/4"



FAX: 877.274.8800


PHONE: 877.775.2586

**FPRL** 

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PULLS SERIES PULLS SERIES



Shower Unit with C-Pull in Polished Chrome



Custom Shower Unit with Mini Ladder Pulls

www.prlglass.com

PULLS SERIES PULLS SERIES

# **SQUARE PULLS**

Square style 8" back to back pull handle. The modern appearance of this handle set comes from the clean, sharp lines and right angles. This 8" Pull is made of 3/4" square brass tubing.









ITEM NO. PL-SQ8X8BN

Glass Thickness 3/8" & 1/2"


Brushed Nickel

Polished Chrome
Glass Thickness 3/8" & 1/2"

ITEM NO. PL-SQ8X8ORB

ITEM NO. PL-SQ8X8MB

Oil Rubbed Bronze Glass Thickness 3/8" & 1/2" Matte Black Glass Thickness 3/8" & 1/2"



In-line Shower Unit with Matte Black Square Pull



Neo-Angle Shower Unit with Square Pull

80 FRL PHONE: 877.775.2586

E: 877.775.2586 FAX: 877.274.8800

www.prlglass.com

PRL

PHONE: 877.775.2586 FAX: 877.274.8800

www.prlglass.com

#### **PULLS SERIES**

www.prlglass.com

# MINI LADDER PULL

PRL's Mini Ladder pull handle provides a unique and bold look to compliment your décor. With sleek 3/4" diameter tubing, this handle is sure to highlight your shower door. Two 1/2" holes are required. Ladder Pulls are 8" center to center and 12" over all.







ITEM NO. PL-MLPBN

Brushed Nickel Glass Thickness 1/4" up to 1/2"

Polished Chrome Glass Thickness 1/4" up to 1/2"

ITEM NO. PL-MLPCH

Oil Rubbed Bronze Glass Thickness 1/4" up to 1/2"

ITEM NO. PL-MLPORB

Matte Black Glass Thickness 1/4" up to 1/2"

ITEM NO. PL-MLPMB

# **CUSTOM PULLS**

At PRL Glass Systems, we're giving those in the glazing business the ability to truly customize their door handle designs like never before. Our custom shower pulls provide an elegant and unique touch, allowing you the freedom to that is truly interesting and captivating. We offer an array of finishes, diameters, sizes, and shapes to choose from, and even the most difficult curved, S-shaped, Tubular, and Geometric handles become doable when you work with us. Our custom pulls are the perfect touch for any project. Let your imagination be your guide when creating stunning and unique custom pulls with PRL Glass Systems.









Steam Unit with Polished Chrome Mini Ladder Pull

FAX: 877.274.8800

**FPRL** 

PHONE: 877.775.2586 FAX: 877.274.8800

**FPRL** 

PHONE: 877.775.2586



Shower Unit with Custom Pull Handle in Polished Chrome



90 Degree Shower Unit with Custom Vent and Contemporary Pull

**FPRL PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

PHONE: 877.775.2586 FAX: 877.274.8800



In-line Shower Unit with Beverly Shower Knobs

# BTB SHOWER KNOB

KNOB SERIES

With beautifully beveled edges and subtle accents, our Traditional shower door knob offers style and refinement. Combine them with our exclusive shower door hinges and clamps. PRL is your single source supplier for complete shower enclosures.







ITEM NO. PL-KNOBBN

1/4" up to 1/2" Glass Thickness

Brushed Nickel Knob

Polished Chrome Knob 1/4" up to 1/2" Glass Thickness

ITEM NO. PL-KNOBCH

ITEM NO. PL-KNOBORB

Oil Rubbed Bronzed Knob 1/4" up to 1/2" Glass Thickness

## **BEVERLY KNOB**

With a ribbed standoff design, our contemporary back to back Beverly knobs will enhance any shower. From elegant simplicity to the most modern decor, PRL's selection of shower door knobs will satisfy everyone's taste!







ITEM NO. PL-BKBN

Brushed Nickel Sliding Knob 1/4" up to 3/8" Glass Thickness. ITEM NO. PL-BKCH

Polished Chrome Sliding Knob 1/4" up to 3/8" Glass Thickness.

ITEM NO. PL-BKORB

Oil Rubbed Bronzed Sliding Knob 1/4" up to 3/8" Glass Thickness.

**FAX:** 877.274.8800 www.prlglass.com **FAX:** 877.274.8800 www.prlglass.com **FAX:** 877.274.8800 www.prlglass.com

# SINGLE-SIDED KNOB

Traditional in style, our single-sided sliding shower door knobs are ideal for use on bypass shower doors.







ITEM NO. PL-KDBN

ITEM NO. PL-KDCH

ITEM NO. PL-KDBN

Brushed Nickel Single Knob 1/4" up to 1/2" Glass Thickness.

Polished Chrome Single Knob 1/4" up to 1/2" Glass Thickness.

Brushed Nickel Single Knob 1/4" up to 1/2" Glass Thickness.

# **SLIDING KNOB**

Our Back-to-Back sliding door knobs are perfect for single sliding doors. Functional design underlines uncompromising simplicity with exemplary craftsmanship.







ITEM NO. PL-KDDBN

ITEM NO. PL-KDDCH

ITEM NO. PL-KDDORB

Brushed Nickel Sliding Knob 1/4" up to 1/2" Glass Thickness.

Polished Chrome Sliding Knob 1/4" up to 1/2" Glass Thickness.

Oil Rubbed Bronzed Sliding Knob 1/4" up to 1/2" Glass Thickness.



**FPRL FPRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

# **TOWEL BARS SERIES**

PRL Glass is proud to offer expertly fabricated single sided (S/S) and standard shower door towel bar combinations. With both form and function in mind our rounded, tubular, design conveys a clean modern style that will effortlessly accentuate your shower doors and bath.



Shower Unit with Polished Chrome Towel Bar



90 Degree Frameless Tiffany Slider with 18" Oil Rubbed Bronze Towel Bar

 PRL
 PHONE: 877.775.2586
 FAX: 877.274.8800
 www.prlglass.com
 PRL
 PHONE: 877.775.2586
 FAX: 877.274.8800
 www.prlglass.com



In-Line Tiffany Frameless Slider with 24 inch Towel Bar



PRL



90-Degree Ruby Frameless Slider with 24 inch Towel Bar

ITEM NO. PL-18SSTBMB | PL-24SSTBMB

ITEM NO. PL-18SSTBORB | PL-24SSTBORB

Oil Rubbed Bronze Towel Bar. Glass Thickness 1/4" up to 1/2".



PRL PHONE: 877.775.2586 FAX: 877.274.8800 PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com www.prlglass.com



90 Degree Frameless Shower Unit with Towel Bar Combination in Polished Chrome



135 Degree Shower Unit with Polished Chrome Combo Towel Bar



Shower Unit with Brushed Nickel Combo Towel Bar



ITEM NO. PL8SD618BN | PL8SD624BN

Brushed Nickel Pull and Towel Bar. Glass Thickness 3/8" & 1/2".



ITEM NO. PL8SD618CH | PL8SD624CH

Polished Chrome Pull and Towel Bar. Glass Thickness 3/8" & 1/2".



ITEM NO. PL8SD618ORB | PL8SD624ORB

Oil Rubbed Bronze Pull and Towel Bar. Glass Thickness 3/8" & 1/2".

AVAILABLE LENGTHS: 6", 16" and 24".


PRL PHONE: 877.775.2586 PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com



FAX: 877.274.8800

TOWEL BARS SERIES TOWEL BARS SERIES

PHONE: 877.775.2586



90-Degree Shower Unit with Oil Rubbed Bronze Combo Towel Bar



90-Degree Shower Unit with Custom Square Combination Towel Bar

FAX: 877.274.8800


# **COATED SHOWER GLASS**

Unlike sprayed-on coatings, Shower Glass coating is fused to the glass during manufacturing, sealing the glass surface to provide a lifetime protective barrier. With regular maintenance shower enclosures with Shower Glass will maintain their beauty and clarity for many years to come

Lab tests put Shower Glass and uncoated glass in a "jungle box" torture test that simulates years ofto heat and humidity exposure. After only 175 hours in this test, uncoated clear glass started to show signs of haze and was significantly stained at the end proving that shower glass stays cleaner longer



Frameless Shower Unit with Shower Glass



FAX: 877.274.8800

Custom Steam Unit with Shower Glass

www.prlglass.com

98 **FAX: 877.274.8800** www.prlglass.com **FAX: 877.274.8800** www.prlglass.com

# **DIAMOND SEAL**

Want to protect and keep your shower looking radiant? We've got your back. PRL offers Diamond Seal shower glass coating. This protective coating will keep your shower and bath looking gorgeous and easy to maintain. What more could you ask for? Diamond Seal improves the clear bright and sparkling new glass appearance.Resists staining and discoloration caused by limescale & hard water stains. Maintenance is simple since washing is cut in half with a squeegee.

Contact the coating manufacturer for appropriate cleaning instructions. Coatings can be damaged by using unapproved a cleaning products. NOTE: Diamond Seal is not a self cleaning product, but protects the surface from harsh chemicals and minerals that damage glass.

## **BENEFITS:**

- Keeps shower glass panels looking new!
- Seals glass surface to prevent stains, fingerprints & more
- Simple maintenance
- Stay Clean for Longer
- No more harsh chemicals








**FPRL FPRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com GLASS OPTIONS GLASS OPTIONS

# **GLASS OPTIONS**

PRL offers multiple glass options for your next shower glass project. You'll see which designs, sizes, and hardware you can get. Available complete systems we recommend in 3/8" and  $\frac{1}{2}$ " glass thicknesses. We offer many types of glass, but Clear and Low Iron are our most popular. It will work great in all of your shower applications whether you choose a swing door enclosure, shower sliders, steam unit, or shower partition. See page 156 and 157 for tinted glas and reflective glass options.

Offers excellent visible light transmittance


Available thickness:-1/8", 3/16", 1/4", 3/8", 1/2", 5/8" and 3/4"




- Starphire
- Opti-White

Available thickness:-3/16", 1/4", 3/8", 1/2", 5/8 and 3/4"





Custom Shower Unit with Diamond Seal Coating




Oversized Starphire Glass with Diamond Seal Coating

# **TEXTURED GLASS**

In some instances will require discrete privacy on shower and steam units. At PRL, we offer an alluring selection of textured and patterned shower glass to add privacy and elegance to sliding and swing shower door systems. Also excellent for steam units, restrooms stalls, splash panels and shower partitions, our textured and pattered shower glass has a lot to offer. Various 5/16" – 3/8" tempered glass patterns are available to choose from. A host of textured glass options and low iron glass patterns, we furnish an impressive array of premium quality heavy shower glass.




Neo-Angle Shower Unit with Gluechip Glass



Ruby Shower Slider with Acid Etched Glass

4 **FAX:** 877.274.8800 www.prlglass.com **FAX:** 877.274.8800 www.prlglass.com **FAX:** 877.274.8800 www.prlglass.com

TEXTURED GLASS SELECTION TEXTURED GLASS SELECTION



Tiffany Frameless Shower Slide with Rain Textured Glass



Single Shower Doors with Acid Etched Glass & Clear Shower Glass

#### **Texture Glass Selection:**



LOW IRON ACID ETCH 3/8", 1/2"



GLUECHIP 3/8", 1/2"



ACID ETCH/MATTE 3/8", 1/2"



CUSTOM SANBLAST 3/8", 1/2"



SANDBLASTED 3/8", 1/2"



CUSTOM GLUECHIP 3/8", 1/2"



BUBBLE 3/8"



**RAIN** 3/8"

PRL recommends to always install textured glass with the smooth side facing inside the shower. Also take considerations on the hardware and U-channels when using patterned glass or cast glass.


PRL

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com



PHONE: 877.775.2586 FAX: 877.274.8800

TEXTURED GLASS SELECTION TEXTURED GLASS SELECTION



In-Line Shower Unit with a Back Splash Acid Etch Glass Panel



Outdoor Shower Units with Acid Etch Texture Glass



Neo-Angle Shower with Rain Textured Glass

**PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

TEXTURED GLASS SELECTION TEXTURED GLASS SELECTION




Single Door Shower Units with Matte Acid Etched Glass



Shower Glass Partition with Rain Texture Glass

Gluechip Texture Shower Unit







Acid Etched Texture Glass Unit with Double Vent Cut-outs

**FAX: 877.274.8800** www.prlglass.com **FAX: 877.274.8800** www.prlglass.com **FAX: 877.274.8800** www.prlglass.com

# **CUSTOM GLASS FABRICATION**

Customize your frameless shower enclosure with the shower details, necessary cut-outs, glue chipped borders and patterns. Imagine the possibilities with an unlimited selection of awe-inspiring custom sandblasted glass designs. Available in a variety of thicknesses for frameless shower door sliders and swing door shower systems, we offer something for everyone.



Oversize Shower Unit with Custom Cut-out Vents



90 Degree Shower Unit with Movable Transom

www.prlglass.com

112 **FRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **FRL** PHONE: 877.775.2586 FAX: 877.274.8800

CUSTOM GLASS FABRICATION CUSTOM GLASS FABRICATION



Custom Shower Unit with Arched Top and Wave Vertical Edging



CORNER CUTOUT DETAIL



TILE NOTCH



**CUSTOM DIAMETER VENT CUTOUT** 



**CUSTOM TRANSOM CUTOUT** 



OCEAN SURF TOP



CUSTOM GLUECHIP ARTWORK




SEAMLESS MITER CORNER



Steam Shower Unit with Custom Movable Transom

 PRL
 PHONE: 877.775.2586
 FAX: 877.274.8800
 www.prlglass.com
 PRL
 PHONE: 877.775.2586
 FAX: 877.274.8800
 www.prlglass.com

CUSTOM GLASS FABRICATION CUSTOM GLASS FABRICATION



Oversize Shower Unit with Custom Arched Top



Custom Shower with Custom Fixed Transom

Single Door Shower Unit with Custom Cut-out Vent



Custom Arched Top In-Line Shower Unit



Shower Unit with Sidelite Rounded Corner Pattern

www.prlglass.com

PRL PRL PHONE: 877.775.2586 FAX: 877.274.8800 PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com



Shower Glass Partition with Custom Sandblast Design






Artistic Application

Logo Application







Custom Sandblast & Gluechip Design

**PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

CUSTOM SANDBLAST GLASS CUSTOM SANDBLAST GLASS



Abstract Sandblast Design



Custom Decorative Design



Custom One Full Glass Piece with Cut-out Sandblast Design



PRL PRL PHONE: 877.775.2586 FAX: 877.274.8800 PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com www.prlglass.com

# SPANDREL WALL CLAD PRL's Spandrel Glass continues to be a very popular design option for interior applications, particularly in Bathrooms! It is a perfect companion with an attractive color options and a convenient easy maintenance smooth surface specially when Diamond seal coating is applied. PRL stocks a full line of standard colors with a very fast lead time. An extensive line of custom colors are available upon request to color match to your specific.

Shower Unit with White Spandrel White Splash Wall



Custom Color Splash Back Wall



Shower Unit with Spandrel Splash Wall

## **SPANDREL COUNTER TOPS**



Custom Blue Counter top Cover



Lava Bronze Sink Counter-top

#### **Standard Colors**



FAX: 877.274.8800 www.prlglass.com FAX: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com 12

SPANDREL WALL CLAD

SPANDREL WALL CLAD



Wall Cover with White Spandrel



In-Line Shower Unit with Spandrel Custom Color Splash Wall Clad

124

**PRL** 

# **MIRRORS**

PRL offers a full-service glass and mirror fabrication. We offer ¼" Clear Mirrors or Low Iron Mirror (ultra-white with no tint, an incomparable clarity). When it comes to custom mirrors, PRL specializes in fabricating them to your specifications. The latest trend are mirrors with etching for back lighting or to create a seamless mirror wall.



Full Size Custom Mirror with Plug Cut-out



Full Wall Mirror with Custom Light Cut-outs






Custom Mirror with a Window Cut-out and for Lighting Installation

PRL PRL PHONE: 877.775.2586 FAX: 877.274.8800 PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com www.prlglass.com MIRRORS



Custom Mirror Made up of Multiple Square Pieces








Custom Beveled Mirror with Rounded Corners




Oversized Rectangular Mirror

128 **FRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **FRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

MIRRORS



Full Wall Mirror with Custom Back Lighting



Oversized Clear Mirror



Mirror with Sandblast Border for Back Lighting




Custom Mirror with Back Lighting Strip Silvering Removal

131

0 **FAX: 877.274.8800** www.prlglass.com **FAX: 877.274.8800** www.prlglass.com **FAX: 877.274.8800** www.prlglass.com

# INTERIOR DOORS This hardware brings elegance and secure, peace of mind to many doors **SAMSON HINGE:** Interior or Exterior Per Pair Maximum Weight 170 lbs Maximum Door Width 45 in. Double- door action Fully covered screws Clip-on system **COVINA LOCK HOUSINGS:** Interior Door Center Lever Lock Housing: Euro style deadlatch lever handle Generous grip for hand safety Size: 3"" X 4"

Interior Doors with Custom Sandblast Glass, Samson Hinge & Covina Housing Lock



Interior Total View Door with Studio Lock Housing

www.prlglass.com

PRL PRL PHONE: 877.775.2586 PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com FAX: 877.274.8800

134

## **MAX ALUMINUM SLIDER**

Complete Max' Aluminum Slider System Ready to be Install



Biparting Max Sliders with IG Units Glass

#### Features:

- Efficiency & Durability
- Elegance
- Smooth Sliding
- Views
- Weather Tight
- Hurricane Resistant
- Dual Tone Finish Feature

## **Three Configurations:**

- Cancun Bottom Roller
- Cabo Top Hung
- 90 Degree Corner Conf.

#### **Three Standard Stiles:**

- 3" Locking Stile
- 1" Ultra Narrow Stile



Multiple Aluminum Max Sliders



Residential Max Slider with Switch It Privacy Glass

## MAX ALUMINUM SLIDER WITH PRIVACY GLASS!

Complete Movable Systems, Taking Privacy Glass to the Next Level!

- Most Switches in the whole Industry
- Manufacture in House
- One-year Warranty
- Complete PrivacyTemperature Control
- Replaces the use of Curtains or Blinds
- Smart Glass



**PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

## **ACCORDION BI-FOLD**

Complete Accordion Bi-fold Aluminum System a Versatile Solution for Any Application




Residential Accordion Bifold with Tactical Horizontal Screen


Built with top quality aluminum frames, this product line is strong and durable. And accepting multiple glass types, you can get excellent energy efficiency, sound control and hurricane impact resistance.

#### Features:

- Versatile
- Weather Resistant
- Thermally Broken
- In-line / Multiple Panels
- Custom Configurations
- Dual Function Slide/Bifold
- Dual Tone Finish Feature



Commercial Accordion Bifold in White Custom Paint



Accordion Bifold with Switch It Privacy Glass

## **ACCORDION BI-FOLD WITH PRIVACY GLASS!**

PRIVACY GLASS

Complete Movable Systems, Taking Privacy Glass to the Next Level!

- Most Switches in the whole Industry
- Manufacture in House
- One-year Warranty
- Complete Privacy
- Temperature Control • Replaces the use of
- Curtains or Blinds Smart Glass



PRL FAX: 877.274.8800 PRL PHONE: 877.775.2586 PHONE: 877.775.2586 www.prlglass.com FAX: 877.274.8800 www.prlglass.com

## TACTICAL™ HORIZONTAL SCREEN

Ingenuity Made Simples Horizontal Retractable Screen

#### Features:

- Durable, high quality pleated PET (Polyethylene Terephthalate) Mesh Screen
- Up to 50 feet (15.2m) wide and 10 feet (3.05m) tall
- Easy interior or exterior installation, jamb or face mount
- Standard finishes: Black and White
- Custom colors available

**FPRL** 

PHONE: 877.775.2586

PVDF coating - architectural finish

## PERFECT ADDITION **FOR MAX SLIDERS & ACCORDION BIFOLS!**



Max Aluminum Slider with Tactical Horizontal Screen

www.prlglass.com

FAX: 877.274.8800

## **ALUMI SLIDER**

Lighter Weight High Quality Modern Interior Aluminum Slider

#### Features:

- 2" Rollers
- Max weight capacity 220lbs per roller
- We can match any size top or bottom rail (up to 10")
- Size limitations 60" x 108"
- Interior application only
- Top hung or Bottom roller
- Muntin Bars

### **Glass Options:**

- 1/4", 3/8" 1/2" & 1"
- Tempered
- Laminated
- IG Units

#### **Door Styles**

- Narrow Stile- 2"
- Medium Stile- 3 1/2"
- Wide Stile- 5 1/8"





Conference Room Bi-Parting Alumi Slider with Sound Control Glass

www.prlglass.com

FAX: 877.274.8800

**FPRL** 

PHONE: 877.775.2586

## **RUBY ALL GLASS SLIDER**

Contemporary and Elegant Interior Top Hung Stainless Steel Sliding System



All Glass Office Ruby Slide with Ladder Pulls

#### Features:

Wall & Glass Mount.
Weight Limits: 2 Rollers (220)
Track Length: Up to 20' Long.
Tempered Glass Thickness:
3/8", 1/2"



Wall Off Set Mount



Giass Mourit



Biparting Ruby Slider with Tempered Glass


## **TIFFANY ALL GLASS SLIDER**

Top Hung Sliding Unit Slides Effortlessly Using Only Two Small Suspension Points

#### Features:

Wall Mount or Fascia Mount. Weight Limits:

- -2 Standard Rollers (265 lbs.)
- -3 Standard Rollers (353 lbs) Tempered Glass Thickness: 3/8", 1/2"



Top Hung Slider 2 3/8" Diameter Bracket



Tiffany Slider Systems with Polished Stainless Steel Ladder Pull



Tiffany Slider Systems with Short Ladder Pull

40 PRL

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com FAX: 877.274.8800 www.prlglass.com

PRL'S PRODUCT LIN

## **CLEARVISION MOVABLE WALL SYSTEM**

Top Hung Movable Glass Wall System Provides Great Design Flexibility



Movable All Glass Top Hung Slider/Stacking Door System

commercial and residential entrances PRL offers our Clearvision movable glass stacking wall system that allows glass panels to stack, slide and swing.

Frameless glass system for

#### Features:

- Frameless System
- Dual swing or sliding
- In-line, stacking, or segmented configurations
- Convertible sliding panel easily transform into a swing door
- Single or multiple panels
- Flexible top hung complete sliding system
- Top and bottom rails



Clearvision Frameless Sliding Stacking System

## **CLASSIC FULL FRAME CLADDED SLIDER**

The Beauty of a Uniquely and Elegant Door System Cladded Enhances Any Room



In-line Top Hung Alumi-Slider in Brushed Polished Finished

#### **Bottom Rolling System:**

- Interior Applications Only
- Without Glass Stops
- Unlimited Glass Options
- Glass thickness 1/4" to 1"
- Luxurious Cladded Finishes
- Two Roller Weight Capacity up to 1000 lbs



Bottom Rollers

## **CLASSIC FRAMELESS SLIDING SYSTEM**

Providing Strength and Beautiful Solutions for Practically Any Exterior or Interior Application

PRL's Classic bottom rolling sliding systems offer unlimited options wherever space is valuable and exposure is critical.

#### Features:

- Top sliding track (2 3/8" W x 1 1/2" H)
- Single Panel/ Multiple Panels
- Top / Bottom Rail
- Bottom straddle
- SQ bolt lock
- Tandem SS roller
- Bottom slidding track (3/8" W x 3/8" H)



P Style Bottom Roller Sliding Doors & Frameless Sidelites

**PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **PRL** PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

PRL'S PRODUCT L

**FPRL** 

#### The Highest Quality Complete Entry Systems with the Fastest Lead Times in the Industry



#### Features:

- Available up to 10 ft. for taller consult PRL for details
- Seamless Rails and Stiles
- Unlimited Glass Options: 1/2", 5/8" or 3/4" tempered
- Standard & Custom Metal Finishes



Monumental All Glass Entrance Doors with Panic Device



Frameless Glass System with All Glass Entrance Doors and Panic Device

# **PANIC DEVICE**

Interior Push Bars for Exterior Doors That Meets Emergency Egress Code Requirements and Decorative Interior



Frameless All Glass Doors with PL100 Panic Device



FAX: 877.274.8800

PRL

PHONE: 877.775.2586

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

# **FULL FRAME CLADDED DOORS**

We Manufacture Complete Luxurious Entrance Systems



PHONE: 877.775.2586

Full Frame Cladded Doors with Panic Device

FAX: 877.274.8800

#### Features:

- Unlimited Glass Options 1/4" to 1" Thickness
- Luxurious Cladded Finishes
- Specialty Hardware & wide Options of Panic Devices
- No Glass Door Stops





Narrow Stile Full Frame Cladded Doors

www.prlglass.com

# **ULTRA NARROW CLADDED DOORS**

Provides an Expansive Glass View, while Incorporating Minimal Stiles for Weathering

#### **Features**

- Unlimited Glass Thickness Options 1/4" to 3/4"
- Luxurious Cladded Finishes Options
- Specialty Hardware Selection & Panic Devices
- No Glass Door Stops





Custom Height Ultra Narrow Cladded Door with Panic Device



Ultra Narrow Cladded Doors with Panic Device

PRL PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

**FPRL** 

148

Aluminum Doors are Available in Many Different Styles Including an Adaptable Custom Design

# Narrow Stile Medium Stile Wide Stile

#### Features:

- Wide Glass Options
- Custom Framing
- Standard Anodized Finishes & Custom Powder Coat
- Specialty Hardware
- Panic Devices

\*Consult PRL for details.



**Custom Stile** 

Wide Stile Aluminum Door with Panic Device



Aluminum Commercial Medium Stile Door

# **EASY LOCKING LADDER PULLS**

Popular Due to Its Easy Locking Mechanism at Waist Height

#### Featuring:

- · Half or full length locks at head or floor
- Flexible key outside & thumb-turn inside option
- Elegant custom designs
- Custom length available \*Consult PRL for details.



Easy locking mechanism at a convenient height



All Glass Entrance Door with Full Height Easy Locking Ladder Pull

**FPRL** FAX: 877.274.8800 PRL PHONE: 877.775.2586 PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com www.prlglass.com

PRODUCT

# **STOREFRONTS**

Complete Glass and Metal Systems Ready to Install

#### SERIES:

250 2" x 4 1/2" 1" Center Glazed

251 2" x 4 1/2" 1" Offset Glazed

251DT 2" x 4 1/2" 1" Offset Glazed

400 1 3/4" x 4" 1/4" Center Glazed

401 1 3/4" x 4" 1/4" Offset Glazed

450 1 3/4" x 4 1/2" 1/4" Center Glazed



Aluminum Storefront in Custom Painted Finished



Thermally Broken Storefront System with Tinted Glass IG Units



Complete 251DT Thermally Broken Storefront System



Thermally Broken Storefront Series 251DT with IG Units

PRL

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

PRL

PHONE: 877.775.2586 FAX: 877.274.8800

**FPRL** 

### **CURTAINWALL**

Designed and Engineered for Maximum Performance



PLCW-700

choose from:

PLCW-600

2 1/2" x 6" 1" Offset Glazed

2 1/2" x 7" 1" Offset Glazed

Offering a variety of

unlimited glass type,

these systems bring high performance to

commercial buildings

With three different 1"

Offset Glazed series to

features, standard

finishes and an

PLCW-1000 2 1/2" x 10"

1" Offset Glazed



CW-700 Curtainwall with Solarban IG Units

Curtainwall with Low-E Glass IG Units

## **ALUMINUM CUSTOM EXTRUSION**

PRL's State of the art 2400 tons/8" Diameter



Extrusion Press

There is no challenge to PRL when it comes to producing the highest quality aluminum extrusion with our equipment. Very complex hollows of all sizes and shapes are very common for us.

- Custom designed extrusions
- Up to 8" diameter shapes extrude
- Fabrication/CNC Capabilities
- Fastest leadtimes in the industry\*
- Finishing:
  - Clear anodized, bronze anodized,
  - Custom paints colors available on request

# STOREFRONT STOCK LENGTH

Many Series Available Ready to Be Ship

#### Features

- 12' & 24' Stock Lengths
  - Custom Lengths cut to size\*
- Ready to ship out next day
  - Will call the same day
- Fastest leadtimes in the industry\*

\*Consult us for details



Aluminum Stock Inventory

# **BREAKMETAL**

Custom Form Metal Profiles



Full Frame Doors & Storefront Framing Cladded in Polished Stainless

#### Clad

- Full Frame Doors
- Storefront Framing
- Column Covers
- Cornices
- Panel Pans
- Top Caps
- Miter Returns/Corners
- Connectors

#### Metal Finishing

- Mirror PolishingDirectional
- Satin Brush

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com FAX: 877.274.8800 www.prlglass.com

PRUS PRODUCT LINE

# **SWITCH IT PRIVACY GLASS**

Perfect Interior and Exterior Application for Fixed Partitions and Movable Systems

Bid Switch-It Privacy Glass is ideal for multiple applications, just a flip of a switch, you can instantly transition from transparent to opaque for on-the-spot privacy, sound control and energy efficiency. Commercial or residential, interior or exterior, this performance glass is a must-have. For more details, panel sizes, thicknesses, and specs, just contact one of our helpful representatives.


#### Switch-It Privacy Glass Features:

- Fabricated in-house
- Backed with a 1 yr. warranty
- Turns from transparent to opaque with a flip of a switch
- Operable with automated systems remotes, smartphones & more
- Can be used in any framed application
- Offers privacy, sound control & energy efficiency
- Great alternative to window shadings






Full Framed Cladded Doors with Switch It Privacy Glass



Glass Partition with Switch It Privacy Glass



Aluminum Max Slider with Switch it Privacy Glass

**FPRL** 

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

**PRL** 

PHONE: 877.775.2586 FAX: 877.274.8800

www.prlglass.com

TO II COMO O

# **LAMINATED GLASS**

Offers Unlimited Make-up Possibilities









# **BULLET RESISTANT GLASS**

Available Levels 1-8 with the Fastest Leadtimes in the Industry

#### Features:

- Lighter glass alternatives with 1" thickness thru level 3
- Full Range/ No Spall Protection
- High Ballistic Resistance without excessive weight or thickness
- Exclusive makeup glass, PVB and Polycarbonate
- Thinner make-up fit security doors glazing pocket





Security Booth with Bullet Resistant Glass



Fixed Glass Panels with Level 2 Bullet Resistant Glass

PRL


PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

PRL


PHONE: 877.775.2586 FAX: 877.274.8800

#### Features:

- Improves solar control
- · Limits the amount of sun damaging ultraviolet rays and heat to enter
- Available in 1/4" only unless otherwise noted below
- All sheets size measure: 96" x 130"




**SOLARCOOL AZURIA®** 1/4"



SOLARCOOL SOLARBLUE® 1/4"



SOLARCOOL PACIFICA® 1/4"



BRONZE ECLIPSE ADVANTAGE™




BLUEGREEN ECLIPSE ADVANTAGE™ 1/4"



**VISTACOOL PACIFICA®** 

FAX: 877.274.8800



SOLARCOOL SOLARGRAY® 1/4"



SOLARCOOL SOLARBRONZE®



MIRROPANE™ 1/4"



MIRROVIEW™ 1/4"

www.prlglass.com

Note: Samples shown are for illustration purposes only, colors may vary from actual glass samples. Performance data is available upon request. Please consult PRL for details and availability.

# **TINTED GLASS**

Improved Performance Reducing the Amount of Sunlight Entering a Room




Features:

- Versatile range of tints
- Provide higher levels of natural daylight
- Lower solar heat loads.
- 1/4" or in other thicknesses\*
- All sheets size measure: 96" x 130"



**BRONZE** \*1/8", 3/16", 1/4", 3/8" & 1/2"



**CRYSTALGRAY** 1/4"




**SOLEXIA®** 1/8", 3/16", 1/4"



BLUE GREEN™ 1/4", 3/8"




**EVERGREEN / ATLANTICA®** 



**AZURIA®** 1/4"



SOLARBLUE® 1/4"




PACIFICA® 1/4"



\*1/8", 3/16", 1/4", 3/8" & 1/2"



**GRAYLITE II®** 1/8", 1/4"



SUPERGREY™ 1/4"

Note: Samples shown are for illustration purposes only, colors may vary from actual glass samples. Performance data is available upon request. Please consult PRL for details and availability.

**FPRL** PHONE: 877.775.2586 **FPRL** 

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

PRODUCT

# SPANDREL COLOR GLASS

For Exterior and Interior Applications



PRL Spandrel Glass with its nearly unlimited range of colors offers greatly increased options for interior and exterior glass applications. Color matching is no problem for PRL, using a computerized color spectrophotometer. Applicable on annealed or tempered, low iron, clear, and reflective glass products. Available in standard and custom colors.

#### **Spandrel Offers:**

Aesthetic

Custom Spandrel Color Glass

- High Durability
- Heat-treated
- Multiple-Applications
- Unlimited Color Options

White Spandrel Wall Cladded

# **FIRE RESISTANT GLASS**

Think Clear. Think Big. Think Keralite.



Storefront System with Keralite Fire Rated IG Units

PRL Carries Keralite® Filmed or Laminated.

#### The best in class glass ceramic features:

- The largest extended-size glass ceramic available
- Highest color rendering
- Fastest in the industry
- Superior Customer Service

# **LOW-E GLASS**

Specialize in Custom and Oversized Glass



Overzised Fixed Tempered Glass Panels with Low E Glass

**FPRL FPRL** PHONE: 877.775.2586 PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com FAX: 877.274.8800 www.prlglass.com

RODUCT LIN



IG Units with Low E Glass

PRL IG Units are a high quality, total energy performance product that translates into reduced energy cost and increased comfort. Insulated glass helps maintain inside room temperatures while saving energy.

#### IG Unit line capabilities

- Max. Sizes 98"x 137"
- Min. Size 6" x 6"
- Lead-times are 2 to 3 working days
- 24-hour service available upon costumer's request
- Thickness from 1/2" to 1 1/2 "

# **TEMPERED GLASS**

Unlimited Glass Applications

Tempered glass is always much more resistant to breakage than raw glass. Even if it breaks, the glass disintegrates into relatively small pieces, which is less likely to cause a serious injury. It is very common for glass doors, sidelites, balconies, etc.

Oversize tempered glass available for 110" x 189"

\*Consult PRL for details.



Frameless Tempered Glass Entrance Door System



Custom Shape IG Unit with Low-E Glass



All Glass Tempered Glass

**FPRL** 

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com **FPRL** 

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

# HANDRAIL SYSTEMS


For Exterior and Interior Applications













PRL'S PRO

PRL

PHONE: 877.775.2586

FAX: 877.274.8800

www.prlglass.com

PRL

PHONE: 877.775.2586 FAX: 877.274.8800

# **GLASS GATES**

Will provide you some safety and meet all requirements while transparency is still sustain





Custom Safety Glass Gate with Laminated Decorative Glass



Frameless Privacy Glass Gate with Textured Glass




Beach Access Frameless Gate with Centerlock Housing & Clear Tempered Glass

# **ALUMINUM GATES**

Create visionary they bring stunning transparency to outdoor projects



Safety Glass Gate with Custom Muntins



Aluminum Gate with Decorative Laminated Glass



Aluminum Gate with Tinted Glass

PRL

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com PRL

PHONE: 877.775.2586 FAX: 877.274.8800

# **GLASS SPECIALTIES**

Custom Work with Expert Craftsmanship Creating Elegance & Style




Residential Custom Handrail Glass Cut to Pattern

PRL custom glass fabrication is our area of expertise. Fabricated in-house by our master craftsmen. Utilizing cutting edge technology and our vast fabrication capabilities, we can generate a large assortment of complex geometric glass shapes, pattern cut-outs, hole diameters and intricate notching.

#### Fabricate the most unique glass pieces:

- Oversized glass
- Surface and artistic carved sandblast glass
- Decorative glass wall
- Sandblast and carving





Custom Tempered Shape Glass Conference Room



Acid Etch Textured Glass Wall Decoration

www.prlglass.com

Decorative Textured Laminated Glass

PRL PRL PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

PHONE: 877.775.2586 FAX: 877.274.8800





Residential Custom Wine Cellar Bar

Don't limit yourself to an ordinary wine cellar. Shop at PRL! We manufacture glass-enclosed wine cellars with limitless customization. Offered in several all-glass or aluminum swing door styles, or sliding doors. These units bring exquisite character to your client's vintages. All wine cellars are custom to your specifications whether you want an all-glass application or aluminum framing. Some Custom All-Glass Wine



Frameless Wine Cellar



Custom Shape Glass Wine Cellar


Oversized All Glass Wine Cellar

PRL PRL PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

# **TABLETOPS**

Artistic, Beautiful, and Creative Applications for Residential and Commercial



Oversized Tabletop with Custom Sandblast Design and Gluechip Glass



All Glass Tabletop with Custom Center Cut Out and Chipped Polished Edge



Oversized Conference Tabletop

PRL PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com

PRL 172


PHONE: 877.775.2586 FAX: 877.274.8800

# **FASTEST LEADTIMES**

in the Industry, consult PRL for details!

# 13644 NELSON AVE. CITY OF INDUSTRY, CA. 91746

# FIND OUT ABOUT OTHER PRL GLASS & ALUMINUM TOP SELLING PRODUCTS







Panic Device





PHONE: 877.775.2586 FAX: 877.274.8800 www.prlglass.com